This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently amended) A method of treating a body which is contaminated with infectious prions, the method comprising:

contacting the body with a composition comprising one or more phenols and an organic sulfonate to inactivate prions on the body, the one or more phenols comprising: e-benzyl-p-chorophenol o-benzyl-p-chlorophenol; o-phenylphenol; 2,3-dimethylphenol; p-chloro-m-cresol; p-chloro-m-xylanol m-xylenol; 2,4,5-trichlorophenol; or a mixture of two or more thereof.

Claims 2-30 (Canceled)

- 31. (Previously presented) The method of claim 1 wherein the body comprises a surface or a liquid body.
- 32. (Previously presented) The method of claim 1 wherein the body comprises a surface of a medical, dental or pharmaceutical instrument.
- 33. (Previously presented) The method of claim 1 wherein the body comprises the surface of equipment used in the food or beverage processing industry.
- 34. (Previously presented) The method of claim 1 wherein the body comprises a work surface, wall, floor, ceiling, fermentation tank or fluid supply line in a hospital, industrial facility or research laboratory.
- 35. (Previously presented) The method of claim 1 wherein the body comprises medical waste.

- 36. (Previously presented) The method of claim 1 wherein the body comprises blood, tissue or other body waste.
- 37. (Previously presented) The method of claim 1 wherein the body comprises a room or cage used for housing animals.
- 38. (Previously presented) The method of claim 1 wherein the method is used to decontaminate a disinfection or sterilization system.
- 39. (Previously presented) The method of claim 1 wherein the one or more phenols comprise o-benzyl-p-chlorophenol, o-phenylphenol, or a mixture thereof.
- 40. (Previously presented) The method of claim 1 wherein the organic sulfonate comprises  $C_{14}$ - $C_{18}$  sulfonate, sodium  $C_{14}$ - $C_{16}$  sulfonate, alkyl sulfonate, sodium alpha olefin sulfonate, sodium xylene sulfonate, alkylbenzene sulfonate, triethanolamine dodecylbenzene sulfonate, sodium dodecyl benzene sulfonate, calcium dodecylbenzene sulfonate, or a mixture of two or more thereof.
- 41. (Previously presented) The method of claim 1 wherein the organic sulfonate comprises sodium  $C_{14}$ - $C_{16}$  sulfonate.
- 42. (Previously presented) The method of claim 1 wherein the organic sulfonate comprises an alpha olefin sulfonate.
- 43. (Previously presented) The method of claim 1 wherein the composition comprises o-benzyl-p-chlorophenol, o-phenylphenol and sodium  $C_{14}$ - $C_{16}$  sulfonate.

- 44. (Previously presented) The method of claim 1 wherein the composition comprises 2,4,5-trichlorophenol and alpha olefin sulfonate.
- 45. (Previously presented) The method of claim 1 wherein at least one of the phenols in the combination of phenols has a Log  $P_c$  value of at least about 2.5.
- 46. (Previously presented) The method of claim 1 wherein the composition is acidic.
- 47. (Previously presented) The method of claim 1 wherein the composition is alkaline.
- 48. (Previously presented) The method of claim 1 wherein the composition includes water.
- 49. (Previously presented) The method of claim 1 wherein prior to contacting the body, the composition is in the form of a concentrate which is diluted with water to form a decontaminate solution.
- 50. (Previously presented) The method of claim 1 wherein prior to contacting the body the composition is in the form of a concentrate, the concentrate having a total phenol concentration in the range from about 0.1M to about 1.0M.
- 51. (Previously presented) The method of claim 1 wherein the composition further comprises one or more sequestering agents, cosolvents, surfactants, corrosion inhibitors or buffering agents.
- 52. (Previously presented) The method of claim 1 wherein the composition further comprises one or more soluble inorganic salts.

- 53. (Currently amended) The method of claim 1 wherein the composition further comprises water, glycolic acid, dodecyl benzyne benzene sulfonic acid and hexylene glycol.
- 54. (Previously presented) The method of claim 1 wherein the composition further comprises brine.
- 55. (Previously presented) The method of claim 1 wherein the organic sulfonate is a sodium sulfonate.
- 56. (Previously presented) A method of treating a body which is contaminated with infectious prions, the method comprising:

contacting the body with a composition comprising one or more phenols and a surfactant to inactivate prions on the body, the one or more phenols comprising o-benzyl-p-chlorophenol, o-phenylphenol, or a mixture thereof.

- 57. (Previously presented) The method of claim 56 wherein the body comprises a surface or a liquid body.
- 58. (Previously presented) The method of claim 56 wherein the body comprises a surface of a medical, dental or pharmaceutical instrument.
- 59. (Previously presented) The method of claim 56 wherein the body comprises the surface of equipment used in the food or beverage processing industry.
- 60. (Previously presented) The method of claim 56 wherein the body comprises a work surface, wall, floor, ceiling, fermentation tank or fluid supply line in a hospital, industrial facility or research laboratory.

- 61. (Previously presented) The method of claim 56 wherein the body comprises medical waste.
- 62. (Previously presented) The method of claim 56 wherein the body comprises blood, tissue or other body waste.
- 63. (Previously presented) The method of claim 56 wherein the body comprises a room or cage used for housing animals.
- 64. (Previously presented) The method of claim 56 wherein the method is used to decontaminate a disinfection or sterilization system.
- 65. (Previously presented) The method of claim 56 wherein the one or more phenols further comprise an alkyl, chloro, or nitro-substituted phenol or biphenol, or a carboxylic acid thereof.
- 66. (Previously presented) The method of claim 56 wherein the one or more phenols further comprise phenol; 2,3-dimethylphenol; 3,5-dimethoxyphenol; 2,6-dimethoxyphenol; p-tertiary-amylphenol; p-chloro-m-cresol; o-cresol; p-cresol; 2,2-methylenbis(p-chlorophenol); 3,4-dihydroxybenzoic acid; p-hydroxybenzoic acid; caffeic acid; protocatechuic acid; p-nitrophenol; 3-phenolphenol; 2,3-dimethoxyphenol; thymol; 4-chloro-3-methoxyphenol; pentachlorophenol; hexachlorophene; p-chloro-m-xylanol; triclosan; 2,2-methoxy-bis(4-chloro-phenol); para-phenylphenol, or a mixture of two or more thereof.
- 67. (Previously presented) The method of claim 56 wherein the surfactant comprises an anionic, cationic, non-ionic, or zwitterionic surfactant.

- 68. (Previously presented) The method of claim 56 wherein the surfactant comprises an alkylaryl anionic surfactant.
- 69. (Currently amended) The method of claim 56 wherein the surfactant comprises a  $C_{14}$ - $C_{18}$  sulfonate, a sulfonic acid, an ethoxylate, a sarcosinate, a sulfosuccinate, or a mixture of two or moe more thereof.
- 70. (Previously presented) The method of claim 56 wherein the surfactant comprises sodium lauryl ether sulfate, triethanolamine lauryl sulfate, magnesium lauryl sulfate, a sulfosuccinate ester, ammonium lauryl sulfate, an alkyl sulfonate, sodium lauryl sulfate, a sodium alpha olefin sulfonate, an alkyl sulfate, a sulfated alcohol ethoxylate, a sulfated alkyl phenol ethoxylate, sodium xylene sulfonate, an alkylbenzene sulfonate, triethanolamine dodecylbenzene sulfonate, sodium dodecylbenzene sulfonate, calcium dodecylbenzene sulfonate, xylene sulfonic acid, dodecylbenzene sulfonic acid, an N-alkoyl sarcosinate, sodium lauroyl sarcosinate, a dialkylsulfosuccinate, an N-alkoyl sarcosine, lauroyl sarcosine, or a mixture of two or more thereof.
- 71. (Previously presented) The method of claim 56 wherein prior to contacting the body, the composition is in the form of a concentrate which is diluted with water to form a decontaminate solution.
- 72. (Previously presented) The method of claim 56 wherein prior to contacting the body the composition is in the form of a concentrate, the concentrate having a total phenol concentration in the range from about 0.1M to about 1.0M.
- 73. (Previously presented) The method of claim 56 wherein the composition further comprises one or more sequestering agents, cosolvents, corrosion inhibitors or buffering agents.

- 74. (Previously presented) The method of claim 56 wherein the composition further comprises one or more soluble inorganic salts.
- 75. (Previously presented) The method of claim 56 wherein the composition further comprises brine.